



INFORMATION DISCLOSURE CITATION

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number

MP/143

Serial Number

09/369,231

Applicant(s)

Walter

Filing Date

08/05/99

Group Art Unit

1771

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translation YES / NO
hV	159034	23.10.85	EP	—	—	
hV	313263	24.03.93	EP	—	—	
hV	9218320	29.10.92	WO	—	—	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

hV		Blitshteyn M and Wettermann B. Surface treatment of polyolefins. Modern Plastics. Mid-October Encyclopedia Issue 1991:424.
		Collins G C S et al. An analysis of PTFE surfaces modified by exposure to glow discharges. European Polymer Journal 1973; 9:1173-1185.
		Dekker A et al. Adhesion of endothelial cells and adsorption of serum proteins on gas plasma-treated PTFE. Biomaterials 1991; 62:259-263.
		Garfinkle A M et al. Improved patency in small diameter dacron vascular grafts after a tetrafluoroethylene glow discharge treatment. Presented at the Second World Congress on Biomaterials, Washington DC, April 27-May 1, 1984.
		Hoffman A. Biomedical applications of plasma gas discharge processes: A tutorial presentation. Polymeric Materials 1987; 669-703.
		Iriyama Y et al. Plasma surface treatment on nylon fabrics by fluorocarbon compound. Journal of Applied Polymer Science 1990; 39:249-264.
		Kuper S and Stuke M. Ablation of polytetrafluoroethylene (Teflon) with femtosecond UV excimer laser pulses. Appl Phys Letter 1989; 54(1):4-6.
		Kusabiraki M. Plasma polymerized hexamethyldisiloxane coating on PTFE films in a triode glow discharge system. Polymeric Materials 1990; 62:37-42.
		Kusabiraki M. Surface modification of PTFE films by discharges. Japan Journal of Applied Physics, Part 1. 1990; 29(12):2809-2814.
		Mateo N B. Using gas plasma to reengineer surfaces. Medical Product Manufacturing News Sept/Oct 1990.
		Morra M et al. Contact angle hysteresis in oxygen plasma treated polytetrafluoroethylene. Langmuir 1989; 5:872-876.
hV		Morra M et al. Surface characterization of plasma-treated PTFE. Surface and Interface Analysis 1990; 16:412-417.

EXAMINER

Kai vs

DATE CONSIDERED


04/12/02

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-A820 (also PTO 1449)

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

SHEET 2 of 3



RECEIVED
JAN 30 2002
TC 1700

INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)	Docket Number MP/143	Serial Number 097360,231
	Applicant(s) Walter	
	Filing Date 08/05/99	Group Art Unit 1771

OTHER DOCUMENTS (Continued)

fw	Niino H, Yabe A. Chemical surface modification of fluorocarbon polymers by excimer laser processing. Applied Surface Science 1996; pp 550-557.
	Niino H et al. Surface modification of polytetrafluoroethylene by excimer laser processing: enhancement of adhesion. Applied Surface Science 1997; 109/110:259-263.
	Nishii M. Surface modification of polytetrafluoroethylene by KrF-Laser Irradiation. Chemistry Letters 1992; pp 2089-2090.
	Picha G J. Ion-Beam Microtexturing of biomaterials. Medical Device and Diagnostic Industry 1984; 6(4)39-42.
	Pireaux JJ et al. Excimer laser ($\lambda=193$ nm) versus Al K α X-ray damages on polymer surfaces: an XPS (core and valence levels) analysis of polytetrafluoroethylene, polypropylene and polyethylene. Nuclear Instruments and Methods in Physics Research B 1995; 105:186-191.
	Schakenraad J M et al. Patency of small caliber, superhydrophobic ePTFE vascular grafts: A pilot study in the rabbit carotid artery. Cells and Materials 1992; 2(3):193-199.
	Taylor S R et al. Effect of surface texture on the soft tissue response to polymer implants. Journal of Biomedical Materials Research 1983; 17:205-227.
	Torem S et al. Factors influencing acute thrombus formation on carotid artery vascular grafts. Trans Am Soc Artif Internal Organs 1988; 34:916-920.
	Torrissi L and Foti G. Ion beam etching of polytetrafluoroethylene. Journal of Mater. 1990; 5(11):2723-2728.
	Tran C, Walt D. Plasma modification and collagen binding to PTFE grafts. Journal of Colloid and Interface Science 1989; 132(2):373-381.
	Tung B. Surface modification of fluoropolymers with plasma generated via microwave discharge. SAMPE Quarterly 1988; 19(3):36-39.
	Vargo T G et al. Hydrogen/liquid vapor radio frequency glow discharge plasma oxidation (PVDF) surfaces. Journal of Polymer Science; Part A:Polymer Chemistry 1991; 29:555-570.
	Vargo T G et al. Silane refunctionalization of radio frequency glow discharge hydrolysed ePTFE membrane surfaces. Polymeric Materials 1990; 62:259-263.
	Yeh Y S. Blood compatibility of surfaces modified by plasma polymerization. Journal of Biomedical Materials Research 1988; 22:795-818.
fw	Youxian D. Surface modification of poly(tetrafluoroethylene) by gas plasma treatment. Polymer 1991; 32(6):1126-1130.

EXAMINER Tai vs	DATE CONSIDERED 04/12/02
---------------------------	------------------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



INFORMATION DISCLOSURE CITATION

Docket Number
MP/143Serial Number
09/369,231

IN AN APPLICATION

Applicant(s)
Walter

(Use several sheets if necessary)

Filing Date
08/05/99Group Art Unit
1771

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
HW	4064030	12/20/77	Nakai et al.	204	192	
	4187390	2/5/80	Gore	174	102	
	4208745	6/24/80	Okita	3	1.4	
	4332035	6/1/82	Mano	3	1.4	
	4550447	11/5/85	Seiler Jr et al	623	1	
	4596577	6/24/86	Sato	623	1	
	4647416	3/3/87	Seiler, Jr. et al	264	118	
	4718907	1/12/88	Karwoski et al.	623	12	
	4767418	8/30/88	Deiningner et al	623	1	
	4822361	4/18/89	Okita et al.	623	12	
	4869714	9/26/89	Deiningner et al.	600	36	
	4919659	4/24/90	Horbett et al.	623	1	
	4933060	6/12/90	Prohaska et al.	204	192.36	
	4946903	8/7/90	Gardella Jr. et al	525	326.4	
	4955909	9/11/90	Ersek et al.	623	11	
	5002572	3/26/91	Picha	623	11	
	5118524	6/2/92	Thompson et al.	427	2	
	5219894	6/15/93	Yamada et al.	521	145	
	5252626	10/12/93	Yamada et al.	521	145	
	5296510	3/22/94	Yamada et al.	521	145	
	5437900	8/1/95	Kuzowski	428	36.1	
HW	5833664	11/10/98	Seare, Jr.	604	174	

EXAMINER

Kai vs

DATE CONSIDERED

04/12/02

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-A820 (also PTO 1449)

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE
SHEET 1 of 3